

LITESTICK - Bollard - Line Voltage Via Transformer - LED High-Power - Square - Power Pipe PP1 - 18" Junction Box

NEW




IP66



Downloads

- Product Images (.zip)
- Technical Drawing (.zip)
- IES Files (.zip)
- BIM - Revit (.zip)
- Installation Instructions (.pdf)

Product Variant Examples



LITESTICK - Bollard - Line Voltage Via Transformer - LED High-Power - Square - Power Pipe PP1 - 18" Junction Box

Available Logic & Configurations

LT- 01 **BO-** 02 **LIT-** 03 **LHP-** 04 **AL-** 05 **-** 06A **PP1-J18-** 06B **-** 06F

01 SERIES

LT - LITESTICK

02 CATEGORY

BO - Bollard

03 DRIVER

LIT - Line Voltage Via Transformer

04 LIGHT SOURCE (TYPE)

LHP - LED High-Power

05 MATERIAL

AL - Aluminum

06A SHAPE

SQB45 - Square - 45° Bend

SQB90 - Square - 90° Bend

SQS - Square - Straight

SQSS - Square - Straight With Shade

06B MOUNT

PP1-J18 - Power Pipe PP1 - 18" Junction Box

06F SIZE

H03 - Height: 03"

H06 - Height: 06"

H12 - Height: 12"

H18 - Height: 18"

H24 - Height: 24"

- 07 **NON-** 09 **WL00-** 11 **-** 12

07 LIGHT SOURCE

e70 - 2700K CRI80 - 3W

e71 - 3000K CRI80 - 3W

e72 - 4000K CRI80 - 3W

e73 - Amber - 3W

e85 - 2700K CRI90 - 3W (55 - 97 lm)

e86 - 3000K CRI90 - 3W (58 - 102 lm)

e87 - 3500K CRI80 - 3W

09 CONTROL

NON - Non-dimming

11 WIRING LENGTH

WL00 - Standard

12 FINISH

Standard Finishes

BLP, BZP, WHP, SAP, BLW, BZW, WHW, VER

Premium Finishes

CMG, SMG, RMG, AMG, TXF, BCM, BGE, WCP, OCP, HUG, ABP, BPP, SDS,

WIR, CAP, CRM, AQW, NBP

Other - RAL

RAL

Other - Custom Color

CUS

NOTE: Not all configurations may be compatible with one another. Please configure the product for specific 2D, Photometry, Downloads, Spec Sheet and Compatible mountings and power supplies.

LITESTICK - Bollard - Line Voltage Via Transformer - LED High-Power - Square - Power Pipe PP1 - 18" Junction Box

Features



Manufactured in the USA with sustainable processes



Secured with tamper-resistant, stainless steel hardware



Easily replaceable modular components reduce waste and extend fixture life

Technical

Driver: Line Voltage Via Transformer

Light Source (Type): LED High-Power

Material: Aluminum

CCT (K): Amber, 2700, 3500, 3000, 4000

CRI: 80, 90

Input Power (W): 3

Delivered Lumens (lm): 31 - 133

Beam Angle (°): 360h x 270v

Control: Non-dimming

Shape: Square - Straight, Square - Straight With Shade, Square - 45° Bend, Square - 90° Bend

Mount: Power Pipe PP1 - 18" Junction Box

Size: Height: 03", Height: 06", Height: 12", Height: 18", Height: 24"

Wiring Length: Standard

Finish: Standard Finishes, Premium Finishes, Other - RAL, Other - Custom Color

Body: Unibody design, with enclosed, water-proof wireway and integral heat sink, fully machined from solid billet.

Material Detail: Furnished in copper-free aluminum (6061-T6).

Light Source Detail: High power LEDs modular design with electrical disconnects., Non-dimming.

Hardware: Tamper-resistant, stainless steel hardware.

Sealing: 'O' Ring provides water-tight seal.

Note: Stability Flange included., Transformer included.

Finish Detail: StarGuard, our 15-stage chromate-free process, cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating. It is RoHS compliant.

Warranty: 5-year limited warranty.

LITESTICK - Bollard - Line Voltage Via Transformer - LED High-Power - Square - Power Pipe PP1 - 18" Junction Box

Finishes

STANDARD FINISHES



[BLP] Satin Black



[BZP] Satin Bronze



[WHP] Satin White



[SAP] Satin Aluminum



[BLW] Black Wrinkle



[BZW] Bronze Wrinkle



[WHW] White Wrinkle



[VER] Verde

PREMIUM FINISHES



[CMG] Cascade Mountain Granite



[SMG] Sierra Mountain Granite



[RMG] Rocky Mountain Granite




[AMG] Aleutian Mountain Granite



[TXF] Textured Forest



[BCM] Black Chrome



[BGE] Beige



[WCP] Weathered Copper



[OCP] Old Copper



[HUG] Hunter Green



[ABP] Antique Brass Powder



[BPP] Brown Patina Powder




[SDS] Sonoran Desert Sandstone



[WIR] Weathered Iron



[CAP] Clear Anodized Powder



[CRM] Cream



[AQW] Antique White



[NBP] Natural Brass Powder

OTHER - RAL



[RAL] RAL Color

OTHER - CUSTOM COLOR



[CUS] Custom Color

LITESTICK - Bollard - Line Voltage Via Transformer - LED High-Power - Square - Power Pipe PP1 - 18" Junction Box

Light Source

Light Source	Optic	Beam Angle	CCT (K)	CRI	R9	Input Power (W)	Delivered Lumens (Lm)	CBCP
e70	-	360h x 270v	2700	80	>15	3	115	
e70	-	360h x 270v	2700	80	>15	3	31	
e71	-	360h x 270v	3000	80	>15	3	121	
e71	-	360h x 270v	3000	80	>15	3	32	
e72	-	360h x 270v	4000	80	>15	3	125	
e72	-	360h x 270v	4000	80	>15	3	36	
e73	-	360h x 270v	Amber			3		
e85	-	360h x 270v	2700	90	>50	3	91	
e86	-	360h x 270v	3000	90	>50	3	95	
e87	-	360h x 270v	3500	80	>15	3		
e70	-	360h x 270v	2700	80	>15	3	122	
e71	-	360h x 270v	3000	80	>15	3	128	
e72	-	360h x 270v	4000	80	>15	3	133	
e85	-	360h x 270v	2700	90	>50	3	97	
e86	-	360h x 270v	3000	90	>50	3	102	
e70	-	360h x 270v	2700	80	>15	3	117	
e71	-	360h x 270v	3000	80	>15	3	123	
e72	-	360h x 270v	4000	80	>15	3	127	
e85	-	360h x 270v	2700	90	>50	3	92	
e86	-	360h x 270v	3000	90	>50	3	97	
e70	-	360h x 270v	2700	80	>15	3	70	
e71	-	360h x 270v	3000	80	>15	3	73	
e72	-	360h x 270v	4000	80	>15	3	76	
e85	-	360h x 270v	2700	90	>50	3	55	
e86	-	360h x 270v	3000	90	>50	3	58	