

Discontinued

# MICRO NITE - Wall Mount - Low Voltage - Lamp MR11 - Style B - Single



DISCONTINUED

[Downloads](#)  
[Installation Instructions \(.pdf\)](#)



AMERICAN MADE + EMPLOYEE OWNED | 40429 Brickyard Drive, Madera, CA 93636 | +1 (559) 438-5800 | [info@bklighting.com](mailto:info@bklighting.com) | [bklighting.com](http://bklighting.com)

Copyright © B-K Lighting, Inc. This document contains proprietary information of B-K Lighting, inc. and its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe.

Technical information is subject to change at the discretion of B-K Lighting Inc. For the most current technical data, please refer to [bklighting.com](http://bklighting.com)

Discontinued



# MICRO NITE - Wall Mount - Low Voltage - Lamp MR11 - Style B - Single

## Available Logic & Configurations

MN-	WM-	LOD-	LAM11-	AL-	SM-	___-	SB-F10-	___-
01	02	03	04	05	06B	06C	06D	06F
<b>01 SERIES</b> MN - MICRO NITE	<b>02 CATEGORY</b> WM - Discontinued	<b>03 DRIVER</b> LOD - Low Voltage	<b>04 LIGHT SOURCE (TYPE)</b> LAM11 - Lamp MR11	<b>05 MATERIAL</b> AL - Aluminum	<b>06B MOUNT</b> SM - Surface Mount	<b>06C STYLE</b> CA - Cap A - 45° (With Weephole) CB - Cap B - 90° (With Weephole) CC - Cap C - Flush Lens CD - Cap D - 45° CE - Cap E - 90°	<b>06D VERSION</b> SB-F10 - Style B - Single	<b>06F SIZE</b> ST18 - Stem length: 18" ST24 - Stem length: 24" ST30 - Stem length: 30" ST36 - Stem length: 36" ST42 - Stem length: 42" ST48 - Stem length: 48"

**NOTE:** Not all configurations may be compatible with one another. Please configure the product for specific 2D, Photometry, Downloads, Spec Sheet and Compatible mountings and power supplies.

Discontinued

# MICRO NITE - Wall Mount - Low Voltage - Lamp MR11 - Style B - Single



## Technical

---

**Delivered Lumens (lm):** Array