

Discontinued



MICRO NITE - Wall Mount - Line Voltage Via Transformer - Lamp MR11 - Style L - Single - Universal Power Module PM1

DISCONTINUED

[Downloads](#)
[Installation Instructions \(.pdf\)](#)



AMERICAN MADE + EMPLOYEE OWNED | 40429 Brickyard Drive, Madera, CA 93636 | +1 (559) 438-5800 | info@bklighting.com | bklighting.com

Copyright © B-K Lighting, Inc. This document contains proprietary information of B-K Lighting, inc. and its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe.

Technical information is subject to change at the discretion of B-K Lighting Inc. For the most current technical data, please refer to bklighting.com

Discontinued



MICRO NITE - Wall Mount - Line Voltage Via Transformer - Lamp MR11 - Style L - Single - Universal Power Module PM1

Available Logic & Configurations

MN- **WM-** **LIT-** **LAM11-** **AL-** **PM1-** **-** **SL-F10-** **-** **-**
01 02 03 04 05 06B 06C 06D 06E 06F

01 SERIES

MN - MICRO NITE

02 CATEGORY

WM - Discontinued

03 DRIVER

LIT - Line Voltage Via Transformer

04 LIGHT SOURCE (TYPE)

LAM11 - Lamp MR11

05 MATERIAL

AL - Aluminum

06B MOUNT

PM1 - Universal Power Module PM1

06C STYLE

CA - Cap A - 45° (With Weephole)

CB - Cap B - 90° (With Weephole)

CC - Cap C - Flush Lens

CD - Cap D - 45°

CE - Cap E - 90°

06D VERSION

SL-F10 - Style L - Single

06E INPUT VOLTAGE

120 - 120V

277 - 277V

06F SIZE

ST18 - Stem length: 18"

ST24 - Stem length: 24"

ST30 - Stem length: 30"

ST36 - Stem length: 36"

ST42 - Stem length: 42"

ST48 - Stem length: 48"

NOTE: Not all configurations may be compatible with one another. Please configure the product for specific 2D, Photometry, Downloads, Spec Sheet and Compatible mountings and power supplies.

Discontinued



MICRO NITE - Wall Mount - Line Voltage Via Transformer - Lamp MR11 - Style L - Single - Universal Power Module PM1

Technical

Delivered Lumens (lm): Array