

Discontinued



# MICRO NITE - Wall Mount - Line Voltage Via Transformer - Lamp MR11 - Style C - 2 Fixtures - Power Canopy PC1

DISCONTINUED

[Downloads](#)  
[Installation Instructions \(.pdf\)](#)



Discontinued



# MICRO NITE - Wall Mount - Line Voltage Via Transformer - Lamp MR11 - Style C - 2 Fixtures - Power Canopy PC1

## Available Logic & Configurations

MN-	WM-	LIT-	LAM11-	AL-	PC1-	___ -	SC-F20-	___ -	___ -
01	02	03	04	05	06B	06C	06D	06E	06F
<b>01 SERIES</b> MN - MICRO NITE	<b>02 CATEGORY</b> WM - Discontinued	<b>03 DRIVER</b> LIT - Line Voltage Via Transformer	<b>04 LIGHT SOURCE (TYPE)</b> LAM11 - Lamp MR11	<b>05 MATERIAL</b> AL - Aluminum	<b>06B MOUNT</b> PC1 - Power Canopy PC1	<b>06C STYLE</b> CA - Cap A - 45° (With Weephole) CB - Cap B - 90° (With Weephole) CC - Cap C - Flush Lens CD - Cap D - 45° CE - Cap E - 90°	<b>06D VERSION</b> SC-F20 - Style C - 2 Fixtures	<b>06E INPUT VOLTAGE</b> 120 - 120V 277 - 277V	<b>06F SIZE</b> ST18 - Stem length: 18" ST24 - Stem length: 24" ST30 - Stem length: 30" ST36 - Stem length: 36"

**NOTE:** Not all configurations may be compatible with one another. Please configure the product for specific 2D, Photometry, Downloads, Spec Sheet and Compatible mountings and power supplies.

Discontinued



# MICRO NITE - Wall Mount - Line Voltage Via Transformer - Lamp MR11 - Style C - 2 Fixtures - Power Canopy PC1

## Technical

---

**Delivered Lumens (lm):** Array